# CENTER FOR DRUG EVALUATION AND RESEARCH

**APPLICATION NUMBER:** 

**75-366** 

# **ADMINISTRATIVE DOCUMENTS**

# REVIEW OF PROFESSIONAL LABELING DIVISION OF LABELING AND PROGRAM SUPPORT LABELING REVIEW BRANCH

ANDA Number: 75-366

Dates of Submission:

April 13 and

May 22, 1998

Applicant's Name:

Eon Labs Manufacturing, Inc.

Established Name:

Sotalol Hydrochloride Tablets, 80 mg, 120 mg,

160 mg, and 240 mg

#### Labeling Deficiencies:

1. CONTAINER 80 mg (100s) 120 mg, 160 mg, 240 mg (100s and 500s)

- a. Correct the hyphenation of the word "temperature".
- b. Increase the blank vertical space between the left panel and the main panel.
- c. The statement "Dispense contents..." appears to run into the text on the main panel.
- d. 160 mg 500s only Delete the hyphen in the word "accompanying".

#### 2. INSERT

#### a. GENERAL COMMENTS

i. There is no need to capitalize "sotalol" unless required by sentence structure.

i. Be consistent with the prominence of the subsection headings throughout the text.

ii. Replace the hyphen with the word "to" when expressing a range throughout the text.

#### b. DESCRIPTION

 Delete the word "tablets" in the first sentence.

- ii. "anhydrous lactose" rather than "lactose anhydrous".
  - fii. "pregelatinized" (spelling).

#### c. - CLINICAL PHARMACOLOGY

- i. Delete "hydrochloride" and "hydrochloride tablets" throughout this section wherever it occurs except in the following places:
  - A). Mechanism of Action second sentence
  - B). Hemodynamics first sentence
  - C). Clinical Actions
    - 1). Second occurrence in the paragraph beginning "In a double-blind..."
    - 2). First occurrence in the paragraph beginning "In a large double-blind ..."
  - D). Pharmacokinetics second occurrence
- ii. Delete "tablets" in the first sentence of the "Hemodynamics" subsection.

#### d. INDICATIONS AND USAGE

- i. Revise the section title as seen above.
- ii. Delete "hydrochloride" and "hydrochloride tablets" throughout this section wherever it occurs except in the first sentence.

## e. CONTRAINDICATIONS

otalol hydrochloride is contraindicated ...

### f. WARNINGS

- i. Delete "hydrochloride" throughout this section wherever it occurs except in the following places:
  - A). Second occurrence in the paragraph beginning "The applicability of ..."

- B). Abrupt withdrawal the second occurrence
- Tii. Recent Acute MI, second sentence "from"
  [- (spelling)
- iii. Non-Allergic Bronchospasm Increase the
   spacing between the bolded capitalized words.

#### g. PRECAUTIONS

- i. Delete "hydrochloride" throughout this section.
- ii. Decrease the prominence of the subsection title "DRUG INTERACTIONS".
- iii. "Pregnancy: Pregnancy Category B:" should be the subsection title.
- iv. Pediatric Use "pediatric patients" rather
   than "children".

#### h. ADVERSE REACTIONS

- i. Delete "hydrochloride" throughout this section.
- ii. Table "proarrhythmia" (lower case "p")
- - A). "photosensitivity" (delete the hyphen)
  - B). "pruritus" (spelling)

### i. OVERDOSAGE

Symptoms and Treatment of Overdosage

- First sentence "hypoglycemia" (delete hyphen)
  - ii. Fourth sentence "concentrations" (plural)
  - iii. Delete the second occurrence of "Bradycardia or Cardiac Asystole".

#### j. DOSAGE AND ADMINISTRATION

i.

€ =

Delete "hydrochloride" in the second sentence and in the sentence immediately before the "Dosage in Renal Impairment" subsection and all others which occur from this subsection through to the "HOW SUPPLIED" section.

- ii. Dosage in Renal Impairment
  - A). Decrease the prominence of the heading.
  - B). Delete the last paragraph of this subsection and replace it with the following text:

... table above).

Pharmacokinetic findings in patients requiring chronic hemodialysis is limited to six patients in two studies. In these patients, terminal elimination half life is prolonged to 40 hours in the interdialysis period and approaches 7 hours during dialysis. It is estimated that 20% to 40% of sotalol is removed during dialysis and that a slight rebound of plasma concentration is noted post dialysis. Extreme caution must be taken in renal failure requiring hemodialysis, usual parameters of safety and efficacy (heart\_rate, QT interval and control of arrhythmia) must be closely monitored.

#### k. HOW SUPPLIED

- i. "tablets" (lower case "t")
- i. We encourage the use of the NDC number in this section.
- iii. Insert a blank space between the word
   "closure" and "(as required)".
- iv. We encourage you to relocate the symbol "Rx only" to under the Title of the insert.

Please revise your labels and labeling, as instructed above, and submit 4 draft copies for a tentative approval or 12 final printed copies for a full approval of this application. If draft labeling is provided, please be advised that you will be required to submit 12 final printed copies of all labels and labeling at least 60 days prior to full approval of this application. In addition, you should be aware that color and other factors (print size, prominence, etc.) in final printed labeling could be found unacceptable and that further changes might be requested prior to approval. Please revise your container labels and insert labeling, as instructed above, and submit in final print.

To facilitate review of your next submission, and in accordance with 21 CFR 314.94(a)(8)(iv), please provide a side-by-side comparison of your proposed labeling with your last submission with all differences annotated and explained.

Jerry Phillips

Director

Division of Labeling and Program Support Office of Generic Drugs

Center for Drug Evaluation and Research

Food and Drug Administration Rockville MD 20857

April 29, 1999

\_ ≂. Food and Drug Administration Pre-approval Laboratory

Philadelphia District Laboratory, HFR-MA160

US Customhouse

2nd and Chestnut Streets, Room 900

Philadelphia, PA 19106 Attention: Wayne Smith 215-597-4390×4609 Pul ( 4/30/99 5/3/99

Maria C. Shih, Review Chemist, HFD-643

brough:

Richard Adams, Chemistry Team Leader, HFD-643

bject:

Laboratory Assignments for ANDA Methods Validation (MV)

ANDA No: 75-366

**Product:** Sotalol HCl tablets, 80 mg (lowest dosage)

Applicant: Eon Labs

firm has submitted their regulatory methods for this drug product. These proposed story analytical methods should be validated by your laboratory as this subject drug product sot have a USP monograph.

instructed under the PRE-APPROVAL INSPECTION/INVESTIGATIONS program (CP £332), you are requested to obtain samples of the subject drug product including impurity wence standards (if any) from the applicant at the address given below:

Eon Labs

Attention: Sadie M. Ciganek 227-15. Conduit Avenue Laurelton, NY 11413

Telephone:

718-276-8600 ext. 330

FAX:

718-949-3120

completion of methods validation, please send work sheets, all attachments, conclusions, ommendations directle to the review chemist at the address given below:

Maria C. Shih Office of Generic Drug 7500 Standish Place Rockville, MD 20855

Telephone:

(310) 827-5849

FAX:

(301) 443-3839

is one methods validation (MV) package with MV request forms (2871 & 2871a).